

DATASHEET

V20

Smart Financial Tablet- SOFTPOS



Android 9




4G + 3G + 2G
WiFi 2.4G/5G
BT 4.2



10" HD LCM
8MP + 5MP Cameras



IC + NFC + QR



IC

NFC

QR

Google mobile services & Certified



Retail



Supermarket



Restaurant



Hotel



Parking lot



Gas station

SPECIFICATIONS

Operating System	Android 9				
Processor	Octa-Core, 8×1.8G, A53				
Memory	RAM: 2GB /ROM: 16GB				
Communications	4G (LTE-FDD/LTE-TDD) + 3G (WCDMA) + 2G (GSM/GPRS), WiFi 2.4GHz/5GHz, BT4.2 (BR/EDR+BLE)				
Location	GPS/AGPS, Beidou, GLONASS, Internal antenna				
Display	10 inch, 1280 × 800, IPS				
Cameras	Rear: 8MP AF with Flash Support Scanner 1D&2D code & QR Code Front: 5MP FF				
GMS	Support Google mobile services				
Battery	3.8V/10000mAh				
SoftPOS	Support FT PAY(Feitian softPOS)				
IC Card Reader	ISO/IEC 7816, ISO / IEC7816, T=0 and T=1 protocol, Class A, B, C cards				
NFC	13.56MHz, ISO 14443 Type A and B, ISO 15693, Mifare, FeliCa Original				
Card Slot	SIM*1 + PSAM*1				
Peripheral Ports	Type A*2, Type C*1, RJ45*1, 3.5mm Earphone port*1, Mini HDMI				
Adapter	Input: 100-240V AC, 50/60Hz 0.35A Output: 5V DC/2.0A				
Physical	265.6mm (L) × 237.6mm (W) × 31mm (H)				
Weight	1426g				
Environment	Operating Temperature: 0°C ~ 60°C (0°F~140°F), Storage Temperature: -20°C ~ 85°C (-4°F~185°F), Relative Humidity: 5%-96% (Non-Condensing)				
Accessories	Adapter*1, USB Cable(only charging)*1				
Certifications	CE, WEEE, UN38.3				
Optional Items	<table><tr><td>Memory RAM:3GB/ROM:32GB /RAM:4GB</td><td>Card Slot SIM*2 + PSAM*2</td></tr><tr><td>Camera Front Camera: 5MP FF</td><td>Type C USB to RJ 45 Adapter 100 Mbps Ethernet LAN</td></tr></table>	Memory RAM:3GB/ROM:32GB /RAM:4GB	Card Slot SIM*2 + PSAM*2	Camera Front Camera: 5MP FF	Type C USB to RJ 45 Adapter 100 Mbps Ethernet LAN
Memory RAM:3GB/ROM:32GB /RAM:4GB	Card Slot SIM*2 + PSAM*2				
Camera Front Camera: 5MP FF	Type C USB to RJ 45 Adapter 100 Mbps Ethernet LAN				

V20 OPTIONS AND ACCESSORIES

V20 OPTIONS



Stylus Pen

Battery Capacity	130mAh
Max Voltage	3.7V
Temperature	0~35°C
Charging Time	≤1.3 Hours
Working Hours	>8 Hours

V20 ACCESSORIES



Hand Strap



Type C to RJ 45 Adapter

100 Mbps Ethernet LAN